

Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ARDEX AF 785
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- · ARDEX UK Ltd
- · · Homefield Road
- · · CB9 8QP Haverhill Suffolk
- · · T: 01440 714939 F: 01440 716667
- · · safetydatasheets@ardex.co.uk
- · 1.4 Emergency telephone number: +44 (0) 870 190 6777 (24-Hour-Number):

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing vapours.*P280* Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



Version number 7 Revision: 13.01.2020 Printing date 13.01.2020

Trade name: ARDEX AF 785

(Contd. of page 1)

*≥*0.0015-<0.025%

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Adhesive

· Dangerous components:

CAS: 2634-33-5 < 0.05% 1,2-benzisothiazol-3(2H)-one

EINECS: 220-120-9 Eye Dam. 1, H318; 📤 Aquatic Acute 1, H400; 🗘 Acute

Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EINECS: 220-239-6 *♠* Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2,

H330; 🚱 Skin Corr. 1B, H314; Eye Dam. 1, H318; 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🕦 Skin Sens. 1A,

H317

CAS: 55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No≥0.00025-<0.0015%]

EC number: 611-341-5 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-

239-6] (3:1)

📀 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; 🚱 Skin Corr. 1C, H314; Eye Dam. 1, H318; 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Skin Sens. 1A,

H317

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

Trade name: ARDEX AF 785

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

· Breathing equipment: Not necessary if room is well-ventilated.

(Contd. on page 4)



Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

Trade name: ARDEX AF 785

· Protection of hands:

(Contd. of page 3)



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
Whitish
Smell:
Godour threshold:
Pasty
Whitish
Recognisable
Not determined.

PH-value at 20 °C:
7.8 (ISO 976)

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** 100 °C

Flash point: Not applicable.
 Inflammability (solid, gaseous) Not applicable.
 Decomposition temperature: Not determined.

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Critical values for explosion:

Lower:Not determined.Upper:Not determined.

· Steam pressure at 20 °C: 24 hPa

(Contd. on page 5)



Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

Trade name: ARDEX AF 785

(Contd. of page 4)

• **Density at 20 °C** 1.27 g/cm³ (EN ISO 2811-1)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

• Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic at 20 °C: 53,000 mPas (ISO 2555)

kinematic: Not determined.

VOC 0.00 %

Solids content: 75.00 % (DIN EN 827.8.2)

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 1,193 mg/kg (rat)

Dermal LD50 4,115 mg/kg (rat)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral LD50 285 mg/kg (rat)

 $Dermal\ LD50 > 2,000\ mg/kg\ (rat)$

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

Oral LD50 66 mg/kg (rat)

Dermal LD50 141 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

(Contd. on page 6)



Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

Trade name: ARDEX AF 785

(Contd. of page 5)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50/96h 2.18 mg/l (Oncorhynchus mykiss)

2.2 mg/l (Lepomis macrochirus)

EC50/18h 0.4 mg/l (Pseudomonas putida)

EC50/48h 2.94 mg/l (Daphnia magna)

EC50/72h 0.067 mg/l (Pseudokirchneriella subcapitata)

EC0 1 mg/l (Daphnia magna)

2682-20-4 2-methyl-2H-isothiazol-3-one

LC50/96h 0.6 mg/l (Oncorhynchus mykiss)

12.4 mg/l (Lepomis macrochirus)

EC50/18h 2.3 mg/l (Pseudomonas putida)

EC50/48h 1.6 mg/l (Daphnia magna)

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

NOEC/48h 0.00064 mg/l (Skeletonema costatum)

NOEC/21d 0.004 mg/l (Daphnia magna)

LC50/96h 0.188 mg/l (Oncorhynchus mykiss)

EC20/3h 0.97 mg/l (sludge)

EC50/48h 0.126 mg/l (Daphnia magna)

EC50/3h 7.92 mg/l (sludge) (OECD 209)

EC50/72h 0.048 mg/l (Pseudokirchneriella subcapitata)

EC50/96h 0.22 mg/l (Oncorhynchus mykiss)

NOEC/72h 0.0012 mg/l (Pseudokirchneriella subcapitata)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)



Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

Trade name: ARDEX AF 785

(Contd. of page 6)

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)



Printing date 13.01.2020 Version number 7 Revision: 13.01.2020

Trade name: ARDEX AF 785

(Contd. of page 7)

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · GEV-Guidline/EMICODE: EC 1 plus, "very low emission"
- · VOC:
- · **VOC (EU)** 0.0 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 4: Acute toxicity - oral - Category 4

Acute Tox. 2: Acute toxicity - inhalation - Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* * Data compared to the previous version altered.